



# Specific Medical Needs

**Author: Health & Safety Team**

**Owner: CEO/Directors**

**Date adopted: September 2026**

**Review: September 2028**

**We are a rights respecting school. All our policies and procedures are written and reviewed to ensure that children's rights, as detailed in the United Nations Convention on the Rights of the Child, are respected and promoted and this policy ensures:**

*Article 24 (health and health services) Every child has the right to the best possible health. Governments must provide good quality health care, clean water, nutritious food, and a clean environment and education on health and well-being so that children can stay healthy. Richer countries must help poorer countries achieve this.*

For more information on the convention and the rights of each child visit: <http://www.unicef.org.uk/>

## Contents

Prescription Medications

Non-Prescription Medicines

Short -Term Medical Needs

Process For Administering Medicines

Self-Management

Refusing Medicines

Educational Visits

Sporting Activities

Roles and Responsibilities

School Staff Giving Medicines

Emergency Procedures

Intimate Care Policy

Sun Cream

Individual Health Care Plans

Education of Pupils with Long-Term or Specific Medical Needs

Specific Medical Conditions and Equipment

Training

Appendix 1 Use of Emergency Salbutamol Inhaler...

Appendix 2 How to Recognise an Asthma Attack

Appendix 3 Draft letter to parents: specimen letter to inform parents of emergency salbutamol inhaler use

Appendix 4 Use of emergency adrenaline auto-injector (AAI)

Appendix 5 How to recognise allergic reaction/ anaphylaxis

Appendix 6 Draft letter to parents specimen letter to inform parents of emergency adrenaline auto-injector (AAI))

Appendix 7 Medical Form 1 - Individual Health Care Plan

Appendix 8 Medical Form 2A - Parental Agreement for School to Administer Prescribed Medicines

Appendix 9 Medical Form 2B - Parental Agreement for School to Administer Non-Prescribed Medicines

Appendix 10 Medical Form 3 - Controlled Medication

Appendix 11 Medical Form 4 - Rectal Diazepam

Appendix 12 Medical Form 5 - Headteacher Agreement

Appendix 13 Medical Form 6 - Medication Log

Appendix 14 Medical Form 7 - Staff Emergency Contact Details

Appendix 15 Medical Form 8 - Permission for Pupils to Carry Own Medication

Appendix 16 Medical Form 9 - Medicine Administration on Residential Trips

Appendix 17 Medical Form 10 - Residential Visit Parental Consent Form and Care Plan

## **Medical Needs Policy**

This policy sets out the processes and procedures for managing individual medical needs, that do not fall under a first aid scenario. This policy covers medicines, specific medical needs, and intimate care.

### **Prescription Medications**

#### **Managing prescription medicines which need to be taken during the school day**

Medicines may only be brought to school when they are essential; that is where it would be detrimental to a child's health if the medicine were not administered during the school day. We will only accept medicines that have been prescribed by a doctor, dentist, nurse prescriber or pharmacist prescriber and that need to be administered 4 or more times a day.

Medicines must always be provided in the **original container** as dispensed by a pharmacist and include the **prescriber's instructions** for administration. School will never accept medicines that have been taken out of the container as originally dispensed or make changes to dosages on parental instructions.

Parents must fill in the medicine form from the school office. This will include details of dose and time of administration. The parent will sign the form. This will be kept with the medicine. A copy of the form will be kept on the child's file when they have finished the medicine.

#### **Managing prescription medicines on trips and outings**

When on a trip if the medicine needs to be kept cool the parent must send the medicine into school in an appropriate cool bag. The first aider on the trip will carry the medicine and administer it following the above procedures.

### **Controlled Drugs**

The supply, possession and administration of some medicines are controlled by the Misuse of Drugs Act and its associated regulations. Some may be prescribed as medication for use by children, e.g. methylphenidate. Two members of staff (one must be a more senior member of staff) will administer a controlled drug to a child for whom it has been prescribed. Staff administering medicine will do so in accordance with the prescriber's instructions.

Parents must take any prescribed controlled drugs to the school office who will sign for them. They will then be kept in the school safe where only SLT and office staff will have access. A record will be kept for audit and safety purposes.

A controlled drug, as with all medicines, will be returned to the parent when no longer required who will arrange for safe disposal and will sign out the empty packet of medicine.

### **Non-Prescription Medicines**

Staff will never give a non-prescribed medicine to a child unless there is specific prior written permission from the parents. Non-prescribed medicine, such as Calpol will be administered to a child if it allows them to be in school when they would otherwise need to be absent but only if this is supplied by the parent, following the same procedures as for prescription medication. School will not hold a supply of Calpol.

If a child suffers regularly from frequent or acute pain the parents will be encouraged to refer the matter to the child's GP. A child under 16 will never be given aspirin or medicines containing ibuprofen unless prescribed by a doctor.

### **Short -Term Medical Needs**

Many children will need to take medicines during the day at some time during their time in a school. This will usually be for a short period only, perhaps to finish a course of antibiotics or to apply a lotion. To allow children to do this will minimise the time that they need to be absent. However, such medicines should only be taken to school where it would be detrimental to a child's health if it were not administered during the school day. In this instance, the same procedure for administration will be followed as with all other medicines.

## **Long-Term Medical Needs**

Please refer to later in this document for policy relating to Long-Term and Specific Medical Needs.

### **Process for Administering Medicines**

1. No child will be given medicines without their parent's written consent.
2. Any member of staff giving medicines to a child should check:
  - a. the child's name
  - b. prescribed dose
  - c. expiry date
  - d. written instructions provided by the prescriber on the label or container
3. Staff will complete and sign a medicine form each time they give medicine to a child
4. Medicine and form to be returned at the end of each day, or as necessary for each case.

If in doubt about any procedure, staff will not administer the medicines but check with a senior leader who will then check with the parents or a health professional before taking further action. Good records help demonstrate that staff have exercised a duty of care.

### **Self-Management**

It is good practice to support and encourage children, who are able, to take responsibility to manage their own medicines. If children can take their medicines themselves, staff may only need to supervise. This will be discussed and arranged with parents beforehand who will sign a consent form.

Medicines will never be carried by children; they will be kept securely as stated previously. The exception to this rule is older children who can be responsible for their own inhaler and epi-pen. These will be kept in their class medical box and available to them at all times. Children are told to inform their class teacher should they use their inhaler, in line with the medical needs policy.

### **Refusing Medicines**

If a child refuses to take medicine, staff should not force them to do so, but should note this in the records and then inform parents by telephone. Parents will be requested to come into school to administer the medication.

### **Educational Visits**

Children with medical needs will be encouraged to participate in safely managed visits. School will consider what reasonable adjustments they might make to enable children with medical needs to participate fully and safely on visits. This will include risk assessments for such children. The taking of medicines alone should not prevent a child participating in any of the school's activities, either on or off site.

Arrangements for taking any necessary medicines will be taken into consideration. Staff supervising visits will be aware of any medical needs, and relevant emergency procedures by the class teacher. A copy of any Individual Health Care Plans will be taken on visits in the event of the information being needed in an emergency.

### **Sporting Activities**

Most children with medical conditions will be encouraged to participate in physical activities and extra-curricular sport. There will be sufficient flexibility for all children to follow in ways appropriate to their own abilities. Any restrictions on a child's ability to participate in PE will be recorded in their Individual Health Care Plan. All adults should be aware of issues of privacy and dignity for children with particular needs. Some children may need to take precautionary measures before or during exercise and will be allowed immediate access to their medicines such as asthma inhalers. Staff supervising sporting activities should consider whether risk assessments are necessary for some children.

### **Roles and Responsibilities**

The Directors of The Three Saints Academy Trust hold general responsibility for all of school's policies. If the administration of prescription medicines requires technical or medical knowledge then individual training should be provided to staff from a qualified health professional. Training is specific to the individual child concerned.

The Headteacher is responsible for putting the employer's policy into practice and for developing detailed procedures. Day to day decisions will fall to the Headteacher or to whosoever they delegate this to. The employer must ensure that staff receive proper support and training where necessary. Equally, there is a contractual duty on Headteachers to ensure that their staff receive adequate and necessary training. The Headteacher will agree when and how such training takes place. The Headteacher will make sure that all parents and all staff are aware of the policy and procedures for dealing with medical needs. The Headteacher will also make sure that the appropriate systems for information sharing are followed. For a child with medical needs, the Headteacher or SENDCO will agree with the parents exactly what support can be provided. Where parents' expectations appear unreasonable, the Headteacher will seek advice from the school nurse or doctor, the child's GP or other medical advisers and, if appropriate, the employer.

Teachers and other staff with children with medical needs in their class or group will be informed about the nature of the condition, and when and where the children may need extra attention. A notification will be kept both in the classroom and in the staff room for all children requiring specific medical support. All staff are made aware of the likelihood of an emergency arising and what action to take if one occurs. At different times of the day other staff may be responsible for children, such as lunchtime supervisors who will also be provided with training and advice.

### **School Staff Giving Medicines**

Teachers' conditions of employment do not include giving or supervising a pupil taking medicines. School has identified members of staff who will carry out this role and this includes trained First Aiders.

Any member of staff who agrees to accept responsibility for administering prescribed medicines to a child will have appropriate training and guidance. They will be made aware of possible side effects of the medicines and what to do if they occur. The type of training necessary will depend on the individual case.

### **Emergency Procedures**

As part of general risk management processes, school has arrangements in place for dealing with emergency situations. All staff have been briefed on this procedure. Children know to tell a member of staff in the event of an emergency. All staff know how to call the emergency services. All staff know who is responsible for carrying out emergency procedures in the event of need, a list of first aiders is displayed around the school, their normal working location and the location of First Aid Kits

(in H&S Folders). Nearest first aiders are identified on the list of the staff who are First Aiders. A member of staff will always accompany a child taken to hospital by ambulance in the absence of a parent and will stay until the parent arrives. Staff will never take children to hospital in their own car. Individual Health Care plans include instructions as to how to manage a child in an emergency and identify who has the responsibility in an emergency.

School has a defibrillator, located opposite the school office, and all staff have received training in its use.

### **Intimate Care**

#### **Toileting/Changing**

If staff are required to change a child they should inform another member of staff that they are doing this and it should be done in view of another member of staff. Where possible and always with older children, the child should be given the equipment needed and asked to do this themselves. Parents may have to be called into school if a child is badly soiled, but school would endeavour to reduce these incidents to a minimum. Children who soil on a regular basis should be encouraged to bring in spare clothes and keep them on their coat peg. In the case of unexpected accidents school will hold clean, dry replacement clothes for children in different year groups.

### **Sun Cream**

Sun cream must not be applied by staff in school. During hot weather, parents will be requested to put cream on their children before they come to school. Children should bring sun cream and hats into school to wear during hot weather. All pupils will be encouraged/supported to apply their own sun cream. There is an exception for older pupils who have additional needs and would not be able to safely reapply sun cream as needed throughout the day. In this instance, parents/ carers should apply sun cream before their child comes to school and then provide sun cream for the adults to apply throughout the day. Warnings will be given to parents to ensure that any creams/lotions applied do not contain any peanut oil.

### **Individual Health Care Plans (IHCP)**

Some children will have an IHCP due to toileting issues. This will be reviewed alongside SEND support plans or annually and involve other agencies (health) where necessary. Pupils needing creams applying due to eczema will have this detailed on an IHCP, in addition their parents will have completed the appropriate medicine form.

## **Education of Pupils with Long-Term or Specific Medical Needs (SMN)**

At Willow Tree Primary School, we believe all pupils have the right to receive an education commensurate with their individual needs. We aim to offer pupils a curriculum that presents them with interesting and challenging programmes of work and we endeavour to encourage all our pupils to develop co-operation, self-discipline and perseverance.

School will ensure they have sufficient information about the medical condition of any child with long-term medical needs. If a child's medical needs are inadequately supported this may have a significant impact on a child's experiences and the way they function in or out of school. The impact may be direct in that the condition may affect cognitive or physical abilities, behaviour or emotional state. Some medicines may also affect learning leading to poor concentration or difficulties in remembering. The impact could also be indirect; perhaps disrupting access to education through unwanted effects of treatments or through the psychological effects that serious or chronic illness or disability may have on a child and their family.

The Special Educational Needs (SEN) Code of Practice 2015 advises that a medical diagnosis or a disability does not necessarily imply SEN. It is the child's educational needs rather than a medical diagnosis that must be considered.

School must be informed about any particular needs before a child is admitted, or when a child first develops a medical need. For children who attend hospital appointments on a regular basis, special arrangements may also be necessary. School will put in place an Individual Health Care Plan (IHCP). School and medical professionals will agree an Individual Health Care Plan (IHCP) and indicate this to all staff through the Specific Medical Needs process, involving the parents and relevant health professionals.

### **Outcomes**

The Headteacher is identified co-ordinator with overall responsibility for Pupils with SMN. The Lead Senior First Aider is made aware of all pupils with SMN. Where appropriate, the SENCO will place pupils with SMN on the SEND register in order to help them overcome any barriers to learning. Monitoring of progress and attainment for these pupils will be undertaken through careful data analysis. There will be clear guidelines on how to deal in a sensitive way with pupils with SMN.

### **Whole School Approach**

All staff will be required to deal with these pupils in a positive and sensitive manner. All staff will have an understanding and empathy for the particular issues affecting pupils with SMN. All staff will be aware of the pupils in the school with SMN. Class teachers must inform visitors of any specific medical needs. The Headteacher will have overall responsibility for monitoring of pupils with SMN. Staff Development will be planned according to School Improvement Plan priorities.

### **Handling of Medical Information**

All medical information will be handled in line with GDPR guidance. Up to date Individual Health Care Plans (IHCP) displaying the pupil's name and photograph, year group, date of birth, medical needs and treatment requirements will be placed in IHCP File in the medical cupboard in the staffroom. Copies of IHCPs are stored on Arbor. Each class teacher will share individual children's medical needs with Learning Assistants, external providers and supply staff. This information is reviewed, at least termly and discussed with the new class teacher at the transition staff meeting in the summer term.

### **Midday Supervisors/Learning Assistants not linked to classes**

Any adults working with pupils with SMN will be kept updated by the Senior First Aiders.

### **Specific Medical Conditions and Equipment**

#### *Inhalers*

Pupils requiring inhalers will keep them in their individual bag which is stored in the class medical box in the classroom with their 'spacers' if required. The pupils will have free access to these whenever they need them. For younger children, support will be given to administer the inhaler if needed or required and parents will be informed. If a pupil is deemed able to administer their inhaler them self, parents do not need to be informed. On trips, these inhalers will be taken and kept with the group leader responsible for the pupil's group.

### *Monitoring asthma medication in school*

Asthma inhalers will be checked once per half term to ensure that they are in date and contain sufficient medication for the next half term by a First Aider. If replacement is required, the parents will be informed immediately. Records of these checks are kept.

### *Epi-Pens*

Pupils requiring the use of an epi-pen will keep it in their individual bag in the class medical box. Free access must be ensured at all times.

### *Diabetes*

Adults involved with supporting any pupils with diabetes will receive regular training and always act in accordance with the Individual Health Care Plan put in place for the individual. Pupils' food and equipment to support them with their diabetes is stored in their individual bag in the class medical box.

School will:

- Consult healthcare professionals, pupils and parents to ensure that the needs of the pupils with SMN are effectively supported
- Ensure that an appropriately trained member of staff will always be available to support a child with SMN
- Ensure that specific staff will be trained by healthcare professionals to provide specific medication to a child with SMN. When such medication is given, appropriate records will be kept using the procedures in place in school
- Endeavour to support the pupil with SMN in school and only send for parental support if absolutely necessary

### **Training**

Training for First Aiders will be coordinated by the School Business Manager, ensuring enough people are trained across the school and to cover trips and residential. Additional training will be organised as and when needed for the adults working with pupils with specific medical needs that require additional support. All staff will have biennial training in the identification of allergic reactions, diabetes and asthma and the administration of appropriate medication, including epi-pen and inhaler training.

## **APPENDIX 1: Use of Emergency Salbutamol Inhaler**

From 1st October 2014 the Human Medicines (Amendment) (No. 2) Regulations 2014 allowed primary and secondary schools in the UK to buy salbutamol inhalers, without a prescription, for use in emergencies. Although schools are not required to hold an inhaler – this is a discretionary power enabling schools to do this if they wish, Willow Tree have made the decision to keep an emergency inhaler on site as we believe that this brings with it many benefits. It could prevent an unnecessary and traumatic trip to hospital for a child, and potentially save their life. Also, parents are likely to have greater peace of mind about sending their child to school.

**The emergency salbutamol inhaler will only be used by children, for whom written parental consent for use of the emergency inhaler has been given, who have either been diagnosed with asthma and prescribed an inhaler, or who have been prescribed an inhaler as reliever medication. The inhaler will also be used if the pupil's prescribed inhaler is not available (for example, because it is broken, or empty).**

### **Arrangements for the supply, storage, care and disposal of the inhaler**

#### **Supply**

Schools will buy inhalers and spacers (these are enclosed plastic vessels which make it easier to deliver asthma medicine to the lungs) from a pharmaceutical supplier, such as a local pharmacy, without a prescription, provided the general advice relating to these transactions are observed. The supplier will need a request signed by the Headteacher on letter-headed paper. The letter will state:

- the name of the school for which the product is required;
- the purpose for which that product is required,
- the total quantity required.

Schools will discuss with their community pharmacist the different plastic spacers available and what is most appropriate for the age-group in the school. The community pharmacists will provide advice on use of the inhaler.

#### **The emergency kit**

An emergency asthma inhaler kit should include:

- a salbutamol metered dose inhaler;
- at least two plastic spacers compatible with the inhaler;
- instructions on using the inhaler and spacer;
- instructions on cleaning and storing the inhaler;

- manufacturer's information;
- a checklist of inhalers, identified by their batch number and expiry date, with half termly checks recorded;
- a note of the arrangements for replacing the inhaler and spacers (see below);
- a list of children permitted to use the emergency inhaler as detailed in their Individual Health Care Plans;
- a record of administration (i.e. when the inhaler has been used).

### **Salbutamol**

Salbutamol is a relatively safe medicine, particularly if inhaled, but all medicines can have some adverse effects. Those of inhaled salbutamol are well known, tend to be mild and temporary and are not likely to cause serious harm. The child may feel a bit shaky or may tremble, or they may say that they feel their heart is beating faster. The main risk of allowing schools to hold a salbutamol inhaler for emergency use is that it may be administered inappropriately to a breathless child who does not have asthma. To prevent this from happening, school will only use the inhaler for children who have asthma or who have been prescribed a reliever inhaler, and for whom written parental consent has been given.

### **Storage and care of the inhaler**

The Health & Safety Team have responsibility for ensuring that:

- on a half termly basis the inhaler and spacers are present and in working order, and the inhaler has sufficient number of doses available;
- that replacement inhalers are obtained when expiry dates approach;
- replacement spacers are available following use;
- the plastic inhaler housing (which holds the canister) has been cleaned, dried and returned to storage following use, or that replacements are available if necessary.

Schools will ensure that the inhaler and spacers are kept in a safe and suitably central location in the school (medical cupboard in the staffroom), which is known to all staff, and to which all staff have access at all times, but in which the inhaler is out of the reach and sight of children. The inhaler and spacer will not be locked away.

The inhaler should be stored at the appropriate temperature (in line with manufacturer's guidelines), usually below 30C, protected from direct sunlight and extremes of temperature. The

inhaler and spacers will be kept separate from any child's inhaler which is stored in a nearby location and the emergency inhaler will be clearly labelled to avoid confusion with a child's inhaler. An inhaler should be primed when first used (e.g. spray two puffs). As it can become blocked again when not used over a period of time, it should be regularly primed by spraying two puffs. To avoid possible risk of cross-infection, the plastic spacer should not be reused. It will be given to the child to take home for future personal use. The inhaler itself however will be reused as it will be cleaned after use. The inhaler canister will be removed, and the plastic inhaler housing and cap will be washed in warm running water, and left to dry in air in a clean, safe place. The canister will be returned to the housing when it is dry, and the cap replaced, and the inhaler returned to the designated storage place. However, if there is any risk of contamination with blood (for example if the inhaler has been used without a spacer), it will not be re-used but disposed of.

## **Disposal**

Manufacturers' guidelines usually recommend that spent inhalers are returned to the pharmacy to be recycled, rather than being thrown away. If school decide to dispose of it, to do this legally we will register as a lower-tier waste carrier, as a spent inhaler counts as waste for disposal. *Registration is free, and does not usually need to be renewed in future years.* <https://www.gov.uk/waste-carrier-or-broker-registration>

## **Children who can use an inhaler**

The emergency salbutamol inhaler will only be used by children: -

- who have been diagnosed with asthma, and prescribed a reliever inhaler;
- OR who have been prescribed a reliever inhaler;
- AND for whom written parental consent for use of the emergency inhaler has been given.

This information should be recorded in a child's Individual Health Care Plan.

A child may be prescribed an inhaler for their asthma which contains an alternative reliever medication to salbutamol (such as terbutaline). The salbutamol inhaler will still be used by these children if their own inhaler is not accessible as it will still help to relieve their asthma and could save their life.

School keeps an asthma register. The asthma register is crucial as there may be many children with asthma, and it is not feasible for individual members of staff to be aware of which children these are. The asthma register is easy to access, and is designed to allow a quick check of whether or not a child is recorded as having asthma, and consent for an emergency inhaler to be administered. The asthma register shows a photograph of each child, to allow a visual check to be made.

As part of our medical needs policy and asthma procedure, when the emergency inhaler is to be used, a check is made that parental consent has been given for its use, in the register. Consent is sought at the beginning of each new school year via the general consent on Arbor. If a child is diagnosed with asthma mid-year, the Office asks parents to give their consent via Arbor at the same time the Individual Health Care Plan is being written.

A record of parental consent is kept on the asthma register to enable staff to quickly check whether a child is able to use the inhaler in an emergency. Consent is updated annually - to take account of changes to a child's condition.

### **Responding to asthma symptoms and an asthma attack**

Salbutamol inhalers are intended for use where a child has asthma. The symptoms of other serious conditions/illnesses, including allergic reaction, hyperventilation and choking from an inhaled foreign body can be mistaken for those of asthma, and the use of the emergency inhaler in such cases could lead to a delay in the child getting the treatment they need. For this reason the emergency inhaler will only be used by children who have been diagnosed with asthma, and prescribed a reliever inhaler, or who have been prescribed a reliever inhaler AND whose parents have given consent for an emergency inhaler to be used.

Appendix 2 provides general information on how to recognise and respond to an asthma attack, and what to do in emergency situations. Staff are aware in particular of the difficulties very young children may have in explaining how they feel.

### **Common 'day to day' symptoms of asthma are:**

- Cough and wheeze (a 'whistle' heard on breathing out) when exercising
- Shortness of breath when exercising
- Intermittent cough

These symptoms are usually responsive to use of their own inhaler and rest (e.g. stopping exercise). They would not usually require the child to be sent home from school or to need urgent medical attention.

### **Signs of an asthma attack include:**

- Persistent cough (when at rest)

- A wheezing sound coming from the chest (when at rest)
- Being unusually quiet
- The child complains of shortness of breath at rest, feeling tight in the chest (younger children may express this feeling as a tummy ache)
- Difficulty in breathing (fast and deep respiration)
- Nasal flaring
- Being unable to complete sentences
- Appearing exhausted
- A blue / white tinge around the lips
- Going blue

If a child is displaying the above signs of an asthma attack, the guidance below on responding to an asthma attack should be followed.

**CALL AN AMBULANCE IMMEDIATELY AND COMMENCE THE ASTHMA ATTACK PROCEDURE WITHOUT DELAY IF THE CHILD:**

- Appears exhausted
- Has a blue/white tinge around lips
- Is going blue
- Has collapsed

#### **Responding to signs of an asthma attack**

- Keep calm and reassure the child
- Encourage the child to sit up and slightly forward.
- Use the child's own inhaler – if not available, use the emergency inhaler
- Remain with child while inhaler and spacer are brought to them
- Immediately help the child to take two separate puffs of the salbutamol via the spacer immediately
- If there is no immediate improvement, continue to give two puffs every two minutes up to a maximum of 10 puffs, or until their symptoms improve. The inhaler should be shaken between puffs.
- Stay calm and reassure the child. Stay with the child until they feel better. The child can return to school activities when they feel better
- If the child does not feel better or you are worried at ANYTIME before you have reached 10 puffs, CALL 999 FOR AN AMBULANCE
- If an ambulance does not arrive in 10 minutes give another 10 puffs in the same way
- The child's parents or carers should be contacted after the ambulance has been called.

- A member of staff should always accompany a child taken to hospital by ambulance and stay with them until a parent or carer arrives.

### **Recording use of the inhaler and informing parents/carers**

Use of the emergency inhaler will be recorded. This will include where and when the attack took place (e.g. PE lesson, playground, classroom), how much medication was given, and by whom. Supporting pupils requires written records to be kept of medicines administered to children. The child's parents must be informed in writing so that this information can also be passed onto the child's GP. The draft letter in Appendix 3 may be used to notify parents.

### **Staff**

Any member of staff may volunteer to take on the above responsibilities, but they cannot be required to do so. These staff are likely to already have wider responsibilities for administering medication and/or supporting pupils with medical conditions.

The term 'designated member of staff' refers to any member of staff who has responsibility for helping to administer an emergency inhaler, e.g. they have volunteered to help a child use the emergency inhaler, and been trained to do this, and are identified in the school's medical needs policy as someone to whom all members of staff may have recourse in an emergency.

Schools will ensure there are a reasonable number of designated members of staff to provide sufficient coverage. Schools will ensure staff have appropriate training and support, relevant to their level of responsibility. Supporting Pupils requires School Committees to ensure that staff supporting children with a medical condition have appropriate knowledge, and where necessary, support.

It would be reasonable for ALL staff to be:

- trained to recognise the symptoms of an asthma attack, and ideally, how to distinguish them from other conditions with similar symptoms;
- aware of the Medical Needs Policy;
- aware of how to check if a child is on the register;
- aware of how to access the inhaler;
- aware of who the designated members of staff are, and the policy on how to access their help.

As part of the Medical Needs Policy, the school has agreed arrangements in place for all members of staff to summon the assistance of a designated member of staff, to help administer an emergency inhaler, as well as for collecting the emergency inhaler and spacer. This includes phone calls being made or another member of staff collecting the inhaler and checking the register, and procedures for supporting a designated member's class while they are helping to administer an inhaler. The response includes a quick check of the register as part of initiating the emergency response. This does not necessarily need to be undertaken by a designated member of staff. The register is relatively succinct, and held in several locations (including each class medical box).

Designated members of staff will be trained in:

- recognising asthma attacks (and distinguishing them from other conditions with similar symptoms)
- responding appropriately to a request for help from another member of staff;
- recognising when emergency action is necessary;
- administering salbutamol inhalers through a spacer;
- making appropriate records of asthma attacks.

Children with inhalers will also be able to demonstrate to their teacher how they use it; the school nurse may also be able to advise on appropriate use.

School ensures that:

- a named individual is responsible for overseeing the protocol for use of the emergency inhaler, and monitoring its implementation and for maintaining the asthma register;
- at least two individuals are responsible for the supply, storage care and disposal of the inhaler and spacer.

### **Liability and indemnity**

Supporting pupils requires that School Committees ensure that when schools are supporting pupils with medical conditions, they have appropriate levels of insurance in place to cover staff, including liability cover relating to the administration of medication.

## APPENDIX 2

### HOW TO RECOGNISE AN ASTHMA ATTACK

#### The signs of an asthma attack are

- Persistent cough (when at rest)
- A wheezing sound coming from the chest (when at rest)
- Difficulty breathing (the child could be breathing fast and with effort, using all accessory muscles in the upper body)
- Nasal flaring
- Unable to talk or complete sentences. Some children will go very quiet.
- May try to tell you that their chest 'feels tight' (younger children may express this as tummy ache)

#### **CALL AN AMBULANCE IMMEDIATELY AND COMMENCE THE ASTHMA ATTACK PROCEDURE WITHOUT DELAY IF THE CHILD**

- Appears exhausted
- Has a blue/white tinge around lips
- Is going blue
- Has collapsed

### WHAT TO DO IN THE EVENT OF AN ASTHMA ATTACK

- Keep calm and reassure the child
- Encourage the child to sit up and slightly forward
- Use the child's own inhaler – if not available, use the emergency inhaler
- Remain with the child while the inhaler and spacer are brought to them
- Immediately help the child to take two separate puffs of salbutamol via the spacer
- If there is no immediate improvement, continue to give two puffs at a time every two minutes, up to a maximum of 10 puffs
- Stay calm and reassure the child. Stay with the child until they feel better. The child can return to school activities when they feel better
- If the child does not feel better or you are worried at ANYTIME before you have reached 10 puffs, CALL 999 FOR AN AMBULANCE
- If an ambulance does not arrive in 10 minutes give another 10 puffs in the same way

### APPENDIX 3

#### DRAFT LETTER TO PARENTS

#### SPECIMEN LETTER TO INFORM PARENTS OF EMERGENCY SALBUTAMOL INHALER USE

Child's name: .....

Class: .....

Date: .....

Dear....., [Delete as appropriate]

This letter is to formally notify you that.....has had problems with his / her breathing today. This happened when.....

A member of staff helped them to use their asthma inhaler.

They did not have their own asthma inhaler with them, so a member of staff helped them to use the emergency asthma inhaler containing salbutamol. They were given ..... puffs.

Their own asthma inhaler was not working, so a member of staff helped them to use the emergency asthma inhaler containing salbutamol. They were given ..... puffs.

[Delete as appropriate]

Although they soon felt better, we would strongly advise that you have your seen by your own doctor as soon as possible.

Yours sincerely,

## **APPENDIX 4**

### **USE OF EMERGENCY ADRENALINE AUTO-INJECTOR (AAI)**

Life-saving allergy pens must be stocked by schools for the first time under plans announced in March 2026.

The law allows the spare pens to be used on:

- Pupils who are already known to be at risk of anaphylaxis, provided the school has a healthcare plan, written parental consent, and medical authorisation
- Any student or adult experiencing unexpected anaphylaxis in an emergency, as the law allows the administration of adrenaline by anyone to save a life, following advice from emergency services.
- The school's spare AAI can be administered to a pupil whose own prescribed AAI cannot be administered correctly without delay.

#### ***An anaphylactic reaction always requires an emergency response***

Any AAI(s) held by a school should be considered a spare / back-up device and not a replacement for a pupil's own AAI(s). Current guidance from the Medicines and Healthcare Products Regulatory Agency (MHRA) is that anyone prescribed an AAI should carry two of the devices at all times. This guidance does not supersede this advice from the MHRA,<sup>1</sup> and any spare AAI(s) held by a school should be in addition to those already prescribed to a pupil. This applies to all primary and secondary schools (including independent schools) in the UK.

Anaphylaxis is a severe and often sudden allergic reaction. It can occur when a susceptible person is exposed to an allergen (such as food or an insect sting). Reactions usually begin within minutes of exposure and progress rapidly, but can occur up to 2-3 hours later. It is potentially life threatening and always requires an immediate emergency response.

#### **What can cause anaphylaxis?**

Common allergens that can trigger anaphylaxis are:

- foods (e.g. peanuts, tree nuts, milk/dairy foods, egg, wheat, fish/seafood, sesame and soya)
- insect stings (e.g. bee, wasp)
- medications (e.g. antibiotics, pain relief such as ibuprofen)
- latex (e.g. rubber gloves, balloons, swimming caps).

The severity of an allergic reaction can be influenced by a number of factors including minor illness (like a cold), asthma, and, in the case of food, the amount eaten. It is very unusual for someone with food allergies to experience anaphylaxis without actually eating the food: contact skin reactions to an allergen are very unlikely to trigger anaphylaxis.

The time from allergen exposure to severe life-threatening anaphylaxis and cardio-respiratory arrest varies, depending on the allergen:

- Food: While symptoms can begin immediately, severe symptoms often take 30+ minutes to occur. However, some severe reactions can occur within minutes, while others can occur over 1-2 hours after eating.<sup>4</sup> Severe reactions to dairy foods are often delayed, and may mimic a severe asthma attack without any other symptoms (e.g. skin rash) being present.
- Severe reactions to insect stings are often faster, occurring within 10-15 minutes.

### **Why does anaphylaxis occur?**

An allergic reaction occurs because the body's immune system reacts inappropriately to a substance that it wrongly perceives as a threat. The reaction is due to an interaction between the substance ("allergen") and an antibody called Immunoglobulin E (IgE). This results in the release of chemicals such as histamine which cause the allergic reaction. In the skin, this causes an itchy rash, swelling and flushing. Many children (not just those with asthma) can develop breathing problems, similar to an asthma attack. The throat can tighten, causing swallowing difficulties and a high pitched sound (stridor) when breathing in.

In severe cases, the allergic reaction can progress within minutes into a life-threatening reaction. Administration of adrenaline can be lifesaving, although severe reactions can require much more than a single dose of adrenaline. It is therefore vital to contact Emergency Services as early as possible. Delays in giving adrenaline are a common finding in fatal reactions. Adrenaline should therefore be administered immediately, at the first signs of anaphylaxis.

### **How common is anaphylaxis in schools?**

Up to 8% of children in the UK have a food allergy. However, the majority of allergic reactions to food are not anaphylaxis, even in children with previous anaphylaxis. Most reactions present with mild-moderate symptoms, and do not progress to anaphylaxis. Fatal allergic reactions are rare, but they are also very unpredictable. In the UK, 17% of fatal allergic reactions in school-aged children

happen while at school. Schools therefore need to consider how to reduce the risk of an allergic reaction, in line with Supporting Pupils.

## **Treatment**

While “allergy” medicines such as antihistamines can be used for mild allergic reactions, they are ineffective in severe reactions – only adrenaline is recommended for severe reactions (anaphylaxis). The adrenaline treats both the symptoms of the reaction, and also stops the reaction and the further release of chemicals causing anaphylaxis. However, severe reactions may require more than one dose of adrenaline, and children can initially improve but then deteriorate later. It is therefore essential to always call for an ambulance to provide further medical attention, whenever anaphylaxis occurs. The use of adrenaline as an injection into the muscle is safe and can be life-saving.

Children and young people diagnosed with allergy to foods or insect stings are frequently prescribed AAI devices, to use in case of anaphylaxis. AAI (current brands available in the UK are EpiPen®, Emerade®, Jext®) contain a single fixed dose of adrenaline, which can be administered by non-healthcare professionals such as family members, teachers and first-aid responders.

Children at risk of anaphylaxis should have their prescribed AAI(s) at school for use in an emergency. The MHRA recommends that those prescribed AAI should carry TWO devices at all times, as some people can require more than one dose of adrenaline and the AAI device can be used wrongly or occasionally misfire.

Depending on their level of understanding and competence, children and particularly teenagers should carry their AAI(s) on their person at all times or they should be quickly and easily accessible at all times. If the AAI(s) are not carried by the pupil, then they should be kept in a central place in a box marked clearly with the pupil’s name but NOT locked in a cupboard or an office where access is restricted.

It is not uncommon for schools (often primary schools) to request a pupil’s AAI(s) are left in school to avoid the situation where a pupil or their family forgets to bring the AAI(s) to school each day. Where this occurs, the pupil must still have access to an AAI when travelling to and from school.

## **Arrangements for the supply, storage, care and disposal of AAI**

Schools can purchase AAI from a pharmaceutical supplier, such as a local pharmacy, without a prescription, provided the general advice relating to these transactions are observed: i.e. small quantities on an occasional basis and the school does not intend to profit from it. A supplier will need a request signed by the principal or head teacher (ideally on appropriate headed paper) stating:

- the name of the school for which the product is required;
- the purpose for which that product is required, and
- the total quantity required.

A template letter which can be used for this purpose can also be downloaded at: [www.sparepensinschools.uk](http://www.sparepensinschools.uk) Please note that pharmacies are not required to provide AAI free of charge to schools: the school must pay for them as a retail item.

A number of different brands of AAI are available in different doses depending on the manufacturer. It is up to the school to decide which brand(s) to purchase. Schools are advised to hold an appropriate quantity of a single brand of AAI device to avoid confusion in administration and training. Where all pupils are prescribed the same device, the school should obtain the same brand for the spare AAI. If two or more brands are currently held by the school, the school may wish to purchase the brand most commonly prescribed to its pupils. However, the decision as to how many devices and brands to purchase will depend on local circumstances and is left to the discretion of the school.

AAIs are available in different doses, depending on the manufacturer. The Resuscitation Council (UK) recommends that healthcare professionals treat anaphylaxis using the age based criteria,<sup>8</sup> as follows:

- For children age under 6 years: a dose of 150 microgram (0.15 milligram) of adrenaline is used (e.g. using an Epipen Junior (0.15mg), Emerade 150 or Jext 150 microgram device).
- For children age 6-12 years: a dose of 300 microgram (0.3 milligram) of adrenaline is used (e.g. using an Epipen (0.3mg), Emerade 300 or Jext 300 microgram device).
- For teenagers age 12+ years: a dose of 300 or 500 microgram (Emerade 500) can be used.

In the context of supplying schools rather than individual pupils with AAI for use in an emergency setting, using these same age-based criteria avoids the need for multiple devices/ doses, thus reducing the potential for confusion in an emergency. Schools should consider the ages of their

pupils at risk of anaphylaxis, when deciding which doses to obtain as the spare AAI. Schools may wish to seek appropriate medical advice when deciding which AAI device(s) are most appropriate.

### **The emergency anaphylaxis kit**

It is good practice for schools holding spare AAIs to store these as part of an emergency anaphylaxis kit which should include:

- 1 or more AAI(s).
- Instructions on how to use the device(s).
- Instructions on storage of the AAI device(s).
- Manufacturer's information.
- A checklist of injectors, identified by their batch number and expiry date with monthly checks recorded.
- A note of the arrangements for replacing the injectors.
- A list of pupils who have a diagnosed allergy and prescribed pen for anaphylaxis.
- An administration record.

The emergency anaphylaxis kit should be kept together with an emergency asthma inhaler kit (containing a salbutamol inhaler device and spacer). Many food-allergic children also have asthma, and asthma is a common symptom during food-induced anaphylaxis.

Severe anaphylaxis is an extremely time-critical situation: delays in administering adrenaline have been associated with fatal outcomes. Schools should ensure that all AAI devices – including those belonging to a younger child, and any spare AAI in the Emergency kit – are kept in a safe and suitably central location: for example, the school office or staffroom to which all staff have access at all times, but in which the AAI is out of the reach and sight of children. They must not be locked away in a cupboard or an office where access is restricted. Schools should ensure that AAIs are accessible and available for use at all times, and not located more than 5 minutes away from where they may be needed. In larger schools, it may be prudent to locate a kit near the central dining area and another near the playground; more than one kit may be needed.

Any spare AAI devices held in the Emergency Kit should be kept separate from any pupil's own prescribed AAI which might be stored nearby; the spare AAI should be clearly labelled to avoid confusion with that prescribed to a named pupil.

### **Storage and care of the AAI**

A school's allergy/anaphylaxis policy should include staff responsibilities for maintaining the spare anaphylaxis kit. It is recommended that at least two named volunteers amongst school staff should have responsibility for ensuring that:

- on a half termly basis the AAIs are present and in date.
- that replacement AAIs are obtained when expiry dates approach (this can be facilitated by signing up to the AAI expiry alerts through the relevant AAI manufacturer).

The AAI devices should be stored at room temperature (in line with manufacturer's guidelines), protected from direct sunlight and extremes of temperature.

Schools may wish to require parents to take their pupil's own prescribed AAIs home before school holidays (including half-term breaks) to ensure that their own AAIs remain in date and have not expired.

### **Disposal**

Once an AAI has been used it cannot be reused and must be disposed of according to manufacturer's guidelines. Used AAIs can be given to the ambulance paramedics on arrival or can be disposed of in a pre-ordered sharps bin for collection by the local council.

### **School trips including sporting activities**

Schools should conduct a risk-assessment for any pupil at risk of anaphylaxis taking part in a school trip off school premises, in much the same way as they already do so with regards to safe-guarding etc. Pupils at risk of anaphylaxis should have their AAI with them, and there should be staff trained to administer AAI in an emergency. Schools may wish to consider whether it may be appropriate, under some circumstances, to take spare AAI(s) obtained for emergency use on some trips.

### **Children to whom a spare AAI can be administered**

The spare AAI in the Emergency Kit should only be used in a pupil where both medical authorisation and written parental consent have been provided for the spare AAI to be used on them. This includes children at risk of anaphylaxis who have been provided with a medical plan confirming this, but who have not been prescribed AAI. In such cases, specific consent for use of the spare AAI from both a

healthcare professional and parent/guardian must be obtained. Such a plan is available from the British Society for Allergy and Clinical Immunology (BSACI).

The school's spare AAI can be used instead of a pupil's own prescribed AAI(s), if these cannot be administered correctly, without delay

This information should be recorded in a pupil's individual healthcare plan. All children with a diagnosis of an allergy and at risk of anaphylaxis should have a written Allergy Management Plan.

**DELAYS IN ADMINISTERING ADRENALINE HAVE BEEN ASSOCIATED WITH FATAL OUTCOMES.**

Allowing pupils to keep their AAIs with them will reduce delays, and allows for confirmation of consent without the need to check the register.

Schools will want to consider when consent for use of the AAI is best obtained but the most appropriate time would be as part of the introduction or development of the individual care plan. Consent should be updated regularly – ideally annually – to take account of changes to a pupil's condition.

**Responding to the symptoms of an allergic reaction**

AAIs are intended for use in emergency situations when an allergic individual is having a reaction consistent with anaphylaxis, as a measure that is taken until an ambulance arrives. Therefore, unless directed otherwise by a healthcare professional, the spare AAI should only be used on pupils known to be at risk of anaphylaxis. In the event of a possible severe allergic reaction in a pupil who does not meet these criteria, emergency services (999) should be contacted and advice sought from them as to whether administration of the spare emergency AAI is appropriate.

It is recommended the school allergy policy includes general information on how to recognise and respond to an allergic reaction, and what to do in emergency situations. Staff should be aware of the difficulties younger children may have in explaining how they feel.

Further information and film clips showing adrenaline being administered can be found at:  
<http://www.sparepensinschools.uk>

## **Recording use of the AAI and informing parents/carers**

In line with Supporting Pupils, use of any AAI device should be recorded. This should include:

- Where and when the REACTION took place (e.g. PE lesson, playground, classroom).
- How much medication was given, and by whom.
- Any person who has been given an AAI must be transferred to hospital for further monitoring. The pupil's parents should be contacted at the earliest opportunity. The hospital discharge documentation will be sent to the pupil's GP informing them of the reaction.

## **Staff**

Any member of staff may volunteer to take on the responsibilities set out in this guidance, but they cannot be required to do so. These staff may already have wider responsibilities for administering medication and/or supporting pupils with medical conditions.

**SEVERE ANAPHYLAXIS IS AN EXTREMELY TIME-CRITICAL SITUATION: DELAYS IN ADMINISTERING ADRENALINE HAVE BEEN ASSOCIATED WITH FATAL OUTCOMES.** It is therefore appropriate for as many staff as possible to be trained in how to administer AAI.

In the following advice, the term 'designated members of staff' refers to any member of staff who has responsibility for helping to administer a spare AAI (e.g. they have volunteered to help a pupil use the emergency AAI, and been trained to do this, and are identified in the school's medical conditions or allergy policy as someone to whom all members of staff may have recourse in an emergency.)

Schools will want to ensure there are a reasonable number of designated members of staff to provide sufficient coverage, including when staff are on leave. In many schools, it would be appropriate for there to be multiple designated members of staff who can administer an AAI to avoid any delay in treatment.

Schools should ensure staff have appropriate training and support, relevant to their level of responsibility. Supporting Pupils requires governing bodies to ensure that staff supporting children with a medical condition should have appropriate knowledge, and where necessary, support.

It would be reasonable for ALL staff to:

- be trained to recognise the range of signs and symptoms of an allergic reaction;

- understand the rapidity with which anaphylaxis can progress to a life-threatening reaction, and that anaphylaxis may occur with prior mild (e.g. skin) symptoms;
- appreciate the need to administer adrenaline without delay as soon as anaphylaxis occurs, before the patient might reach a state of collapse (after which it may be too late for the adrenaline to be effective);
- be aware of the anaphylaxis policy;
- be aware of how to check if a pupil has an allergy that could lead to anaphylaxis;
- be aware of how to access the AAI;
- be aware of who the designated members of staff are, and the policy on how to access their help.

Schools must arrange specialist anaphylaxis training for staff where a pupil in the school has been diagnosed as being at risk of anaphylaxis. The specialist training should include practical instruction in how to use the different AAI devices available. Online resources and introductory e-learning modules can be found at <http://www.sparepensinschools.uk>, although this is NOT a substitute for face-to-face training.

As part of the medical conditions policy, the school should have agreed arrangements in place for all members of staff to summon the assistance of a designated member of staff, to help administer an AAI, as well as for collecting the spare AAI in the emergency kit. These should be proportionate, and flexible – and can include phone calls being made to another member of staff or responsible secondary school-aged children asking for the assistance of another member of staff and/or collecting the AAI (but not checking the register), and procedures for supporting a designated staff member's class while they are helping to administer an AAI.

#### **DELAYS IN ADMINISTERING ADRENALINE HAVE BEEN ASSOCIATED WITH FATAL OUTCOMES.**

Thought should be given to where delays could occur (for example, a phone call is made to summon help but there is no answer).

The school's policy should include a procedure for allowing a quick check of the register as part of initiating the emergency response. This does not necessarily need to be undertaken by a designated member of staff, but there may be value in a copy of the register being held by at least each designated member. If the register is relatively succinct, it could be held in every classroom.

Alternatively, allowing pupils to keep their AAI(s) with them will reduce delays, and allows for confirmation of consent without the need to check the register.

Designated members of staff should be trained in:

- recognising the range of signs and symptoms of severe allergic reactions;
- responding appropriately to a request for help from another member of staff;
- recognising when emergency action is necessary;
- administering AAI's according to the manufacturer's instructions;
- making appropriate records of allergic reactions.

### **Training material**

It is recommended that schools should also ensure that:

- a named individual is responsible for overseeing the protocol for use of the spare AAI, and monitoring its implementation and for maintaining the allergy register;
- at least two individuals are responsible for the supply, storage care and disposal of the AAI.

# Recognition and management of an allergic reaction/anaphylaxis

Signs and symptoms include:

## Mild-moderate allergic reaction:

- Swollen lips, face or eyes
- Itchy/tingling mouth
- Hives or itchy skin rash
- Abdominal pain or vomiting
- Sudden change in behaviour

## ACTION:

- Stay with the child, call for help if necessary
- Locate adrenaline autoinjector(s)
- Give antihistamine according to the child's allergy treatment plan
- Phone parent/emergency contact



## Watch for signs of ANAPHYLAXIS (life-threatening allergic reaction):

### **AIRWAY:**

Persistent cough  
Hoarse voice  
Difficulty swallowing, swollen tongue

### **BREATHING:**

Difficult or noisy breathing  
Wheeze or persistent cough

### **CONSCIOUSNESS:**

Persistent dizziness  
Becoming pale or floppy  
Suddenly sleepy, collapse, unconscious

## IF ANY ONE (or more) of these signs are present:

1. Lie child flat with legs raised:  
(If breathing is difficult, allow child to sit)
2. **Use Adrenaline autoinjector\* without delay**
3. **Dial 999** to request ambulance and say ANAPHYLAXIS



**\*\*\* IF IN DOUBT, GIVE ADRENALINE \*\*\***

## After giving Adrenaline:

1. Stay with child until ambulance arrives, do **NOT** stand child up
2. Commence CPR if there are no signs of life
3. Phone parent/emergency contact
4. If no improvement **after 5 minutes**, give a further dose of adrenaline using another autoinjector device, if available.

Anaphylaxis may occur without initial mild signs: **ALWAYS** use adrenaline autoinjector **FIRST** in someone with known food allergy who has **SUDDEN BREATHING DIFFICULTY** (persistent cough, hoarse voice, wheeze) – even if no skin symptoms are present.

Mild-moderate symptoms are usually responsive to an antihistamine. The pupil does not normally need to be sent home from school, or require urgent medical attention. However, mild reactions can develop into anaphylaxis: children having a mild-moderate (nonanaphylactic) reaction should therefore be monitored for any progression in symptoms.

### **What to do if any symptoms of anaphylaxis are present**

Anaphylaxis commonly occurs together with mild symptoms or signs of allergy, such as an itchy mouth or skin rash. Anaphylaxis can also occur on its own without any mild-moderate signs. In the presence of any of the severe symptoms listed in the red box, it is vital that an adrenaline auto-injector is administered without delay, regardless of what other symptoms or signs may be present.

### **Always give an adrenaline auto-injector if there are ANY signs of anaphylaxis present.**

You should administer the pupil's own AAI if available, if not use the spare AAI. The AAI can be administered through clothes and should be injected into the upper outer thigh in line with the instructions issued for each brand of injector.

### **IF IN DOUBT, GIVE ADRENALINE**

After giving adrenaline do NOT move the pupil. Standing someone up with anaphylaxis can trigger cardiac arrest. Provide reassurance. The pupil should lie down with their legs raised.<sup>11</sup> If breathing is difficult, allow the pupil to sit.

If someone appears to be having a severe allergic reaction, it is vital to call the emergency services without delay – even if they have already self-administered their own adrenaline injection and this has made them better. A person receiving an adrenaline injection should always be taken to hospital for monitoring afterwards.

### **ALWAYS DIAL 999 AND REQUEST AN AMBULANCE IF AN AAI IS USED.**

#### **Practical points:**

- Try to ensure that a person suffering an allergic reaction remains as still as possible, and does not get up or rush around. Bring the AAI to the pupil, not the other way round.
- When dialling 999, say that the person is suffering from anaphylaxis (“ANA-FIL-AX-IS”).

- Give clear and precise directions to the emergency operator, including the postcode of your location.
- If the pupil's condition does not improve 5 to 10 minutes after the initial injection you should administer a second dose. If this is done, make a second call to the emergency services to confirm that an ambulance has been dispatched.
- Send someone outside to direct the ambulance paramedics when they arrive.
- Arrange to phone parents/carers
- Tell the paramedics:
  - if the child is known to have an allergy;
  - what might have caused this reaction e.g. recent food;
  - the time the AAI was given.

## APPENDIX 6

### DRAFT LETTER TO PARENTS

#### SPECIMEN LETTER TO INFORM PARENTS OF EMERGENCY ADRENALINE AUTO-INJECTOR (AAI) USE

Child's name: .....

Class: .....

Date: .....

Dear....., [Delete as appropriate]

This letter is to formally notify you that.....has  
had an allergic reaction/ anaphylaxis today. This happened (when and where)  
.....

A member of staff helped them to use their emergency adrenaline auto-injector (AAI)

They did not have their own emergency adrenaline auto-injector (AAI) with them, so a member of staff helped them to use the emergency adrenaline auto-injector (AAI) containing salbutamol held by school. They were given 1 or 2 injections by .....

Their own emergency adrenaline auto-injector (AAI) was not working, so a member of staff helped them to use the school emergency adrenaline auto-injector (AAI). They were given 1 or 2 injections by .....

[Delete as appropriate]

Yours sincerely,

**APPENDIX 7**

**MEDICAL FORM – 1**  
**INDIVIDUAL HEALTH CARE PLAN**

|                                                                |                                                         |
|----------------------------------------------------------------|---------------------------------------------------------|
| <b>PHOTO OF CHILD HERE</b>                                     | <b>Child's name</b>                                     |
|                                                                | <b>DOB</b>                                              |
|                                                                | <b>Class</b>                                            |
|                                                                | <b>Home address</b>                                     |
|                                                                | <b>Parent/ carer completing this form</b>               |
| <b>Primary emergency contact while child on school visit</b>   | Name:<br><br>Relationship to child:<br><br>Tele number: |
| <b>Secondary emergency contact while child on school visit</b> | Name:<br><br>Relationship to child:<br><br>Tele number: |
| <b>Third emergency contact while child on school visit</b>     | Name:<br><br>Relationship to child:<br><br>Tele number: |
| <b>Family doctor</b>                                           | Name:<br><br>Surgery:<br><br>Tele number:               |

| MEDICAL CONDITION INFORMATION                                                               |  |
|---------------------------------------------------------------------------------------------|--|
| Describe condition and give details of pupil's individual symptoms (inc known allergens)    |  |
| Daily care requirements<br>e.g. lunchtimes, before sports                                   |  |
| Describe what constitutes an emergency for the pupil, and the action to take if this occurs |  |
| Follow up care if necessary                                                                 |  |
| Any more information you feel we need to know                                               |  |

|                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>FOR PUPILS DIAGNOSED WITH ASTHMA ONLY</b>                                                  | I can confirm that my child has been diagnosed with asthma / has been prescribed an inhaler [delete as appropriate].<br><b>Yes/ No</b>                                                                                                                                                                                                                                                                                                            |
|                                                                                               | My child has a working, in-date inhaler, clearly labelled with their name, which they will bring with them to school every day.<br><b>Yes/ No</b>                                                                                                                                                                                                                                                                                                 |
|                                                                                               | <p align="center"><b>CONSENT FOR USE OF EMERGENCY SALBUTAMOL INHALER</b></p> <p><i>To be completed if your child has asthma and has been prescribed an inhaler.</i></p> <p>In the event of my child displaying symptoms of asthma, and if their inhaler is not available or is unusable, I consent for my child to receive salbutamol from an emergency inhaler held by the school for such emergencies.</p> <p align="center"><b>Yes/ No</b></p> |
| <b>FOR PUPILS WITH DIAGNOSED ALLERGY &amp; PRESCRIBED ADRENALINE AUTO-INJECTOR (AAI) ONLY</b> | I can confirm that my child has been diagnosed with a severe allergy and has been prescribed an emergency adrenaline auto-injector (AAI)<br><b>Yes/ No</b>                                                                                                                                                                                                                                                                                        |
|                                                                                               | My child has a working, emergency adrenaline auto-injector (AAI), clearly labelled with their name, which they will bring with them to school every day.<br><b>Yes/ No</b>                                                                                                                                                                                                                                                                        |

|                                                                                                                                                                                                                                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>I AGREE THAT THE MEDICAL INFORMATION CONTAINED IN THIS CARE PLAN MAY BE SHARED WITH INDIVIDUALS INVOLVED WITH MY CHILD. I UNDERSTAND THAT I MUST NOTIFY THE SCHOOL OF ANY CHANGES.</b></p> <p><b>PARENT/CARER SIGNATURE:</b></p> <p><b>DATE:</b></p> <p><b>RELATIONSHIP TO CHILD:</b></p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**For Office use only:**

| Arbor updated | Class teacher advised | Kitchen list updated & reissued | Base register updated |
|---------------|-----------------------|---------------------------------|-----------------------|
|               |                       |                                 |                       |

## APPENDIX 8

## MEDICAL FORM – 2A

| PARENTAL AGREEMENT FOR THE SCHOOL TO ADMINISTER PRESCRIBED MEDICINES                                                                                                                |                                                                          |    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|----|
| The school will not administer medicine to your child unless you complete and sign this form                                                                                        |                                                                          |    |
| NAME OF SCHOOL:<br>Willow Tree Primary School                                                                                                                                       |                                                                          |    |
| CHILD'S NAME:                                                                                                                                                                       | DATE OF BIRTH:                                                           |    |
| CLASS:                                                                                                                                                                              |                                                                          |    |
| NAME/TYPE OF MEDICATION (as described on the container):                                                                                                                            |                                                                          |    |
| DATE OF EXPIRY:                                                                                                                                                                     |                                                                          |    |
| DOSE & METHOD OF ADMINISTRATION (the amount taken and how it is to be taken e.g. tablets, inhaler, injection):                                                                      | WHEN IS IT TO BE TAKEN (time of day):                                    |    |
|                                                                                                                                                                                     | HOW LONG FOR:                                                            |    |
| ANY SIDE EFFECTS OF THE MEDICATION THAT THE SCHOOL SHOULD BE AWARE OF:                                                                                                              | SELF ADMINISTRATION: can the pupil administer the medication themselves? |    |
|                                                                                                                                                                                     | YES                                                                      | NO |
|                                                                                                                                                                                     | NOTES:                                                                   |    |
| I GIVE PERMISSION FOR STAFF AT WILLOW TREE PRIMARY SCHOOL TO GIVE MY CHILD MEDICATION HE/SHE HAS BEEN PRESCRIBED:<br><br>PARENT/CARER SIGNATURE:<br>DATE:<br>RELATIONSHIP TO CHILD: |                                                                          |    |

**MEDICATION WILL ONLY BE ADMINISTERED IF IT HAS BEEN PRESCRIBED TO THE CHILD, FOUR TIMES OR MORE A DAY AND IS IN ITS ORIGINAL PACKAGING.**

FOR Office use only:

| Is medication ongoing? | Where is medication stored? | Arbor UDF updated |
|------------------------|-----------------------------|-------------------|
|                        |                             |                   |

## APPENDIX 9

## MEDICAL FORM – 2B

| PARENTAL AGREEMENT FOR THE SCHOOL TO ADMINISTER NON-PRESCRIBED MEDICINES                                                                                                                      |                                                                          |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|----|
| The school will not administer medicine to your child unless you complete and sign this form                                                                                                  |                                                                          |    |
| NAME OF SCHOOL:<br>Willow Tree Primary School                                                                                                                                                 |                                                                          |    |
| CHILD'S NAME:                                                                                                                                                                                 | DATE OF BIRTH:                                                           |    |
| CLASS:                                                                                                                                                                                        |                                                                          |    |
| NAME/TYPE OF MEDICATION (as described on the container):                                                                                                                                      |                                                                          |    |
| DATE OF EXPIRY:                                                                                                                                                                               |                                                                          |    |
| DOSE & METHOD OF ADMINISTRATION (the amount taken and how it is to be taken e.g. tablets, inhaler, injection):                                                                                | WHEN IS IT TO BE TAKEN (time of day):                                    |    |
|                                                                                                                                                                                               | HOW LONG FOR:                                                            |    |
| ANY SIDE EFFECTS OF THE MEDICATION THAT THE SCHOOL SHOULD BE AWARE OF:                                                                                                                        | SELF ADMINISTRATION: can the pupil administer the medication themselves? |    |
|                                                                                                                                                                                               | YES                                                                      | NO |
|                                                                                                                                                                                               | NOTES:                                                                   |    |
| I GIVE PERMISSION FOR STAFF AT WILLOW TREE PRIMARY SCHOOL TO GIVE MY CHILD THE NON-PRESCRIPTION MEDICATION I HAVE PROVIDED:<br><br>PARENT/CARER SIGNATURE:<br>DATE:<br>RELATIONSHIP TO CHILD: |                                                                          |    |

**NON-PRESCRIBED MEDICATION WILL ONLY BE ADMINISTERED TO YOUR CHILD IN SPECIAL CIRCUMSTANCES WHICH HAS BEEN APPROVED BY THE HEADTEACHER AND IF IT IS IN THE ORIGINAL PACKAGING.**

# APPENDIX 10

## MEDICAL FORM – 3

| AUTHORISATION FOR THE ADMINISTRATION OF CONTROLLED MEDICATION                            |  |
|------------------------------------------------------------------------------------------|--|
| Child's Name                                                                             |  |
| Class                                                                                    |  |
| Receipt of <i>(name of medication)</i>                                                   |  |
| Number of tablets                                                                        |  |
| Received on <i>(date)</i>                                                                |  |
| To start on <i>(date)</i>                                                                |  |
| I confirm medication is in originally dispensed packaging with prescriber's instructions |  |
| Parent/ carer signature                                                                  |  |
| Date                                                                                     |  |
| Staff signature                                                                          |  |
| Date                                                                                     |  |

**INDEMNITY – I am aware that my child named above needs to take the medication mentioned above in school hours. I have provided the Headteacher with information about how the medication is to be administered and I undertake to ensure that the school has an adequate supply of the medication. I accept that as long as it is administered responsibly in accordance with the Doctor's instructions, then I will not hold the Headteacher, nor the Academy nor its servants or agents responsible in the event that my child named above suffers any adverse effect from the administration of the above named medication.**

|                         |  |
|-------------------------|--|
| Parent/ carer signature |  |
|-------------------------|--|

|                                                                                    |  |
|------------------------------------------------------------------------------------|--|
| Medication completed/ no longer required & returned to parent/carers <i>(date)</i> |  |
| Number of tablets returned                                                         |  |
| Parent/ carer signature                                                            |  |
| Staff signature                                                                    |  |

**APPENDIX 11**

**MEDICAL FORM – 4**

| AUTHORISATION FOR THE ADMINISTRATION OF RECTAL DIAZEPAM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                         |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| <b>NAME OF SCHOOL:</b><br>Willow Tree Primary School                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                         |
| <b>NAME OF CHILD:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>DATE OF BIRTH:</b>                                                   |
| <b>HOME ADDRESS:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                         |
| <b>TELEPHONE NUMBERS</b><br><br><b>HOME:</b><br><br><b>MOBILE:</b><br><br><b>WORK:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>G.P NAME:</b><br><br><b>ADDRESS:</b><br><br><b>TELEPHONE NUMBER:</b> |
| <b>HOSPITAL CONSULTANT:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |
| <p>                         _____ (name of child) SHOULD BE GIVEN RECTAL DIAZAPAM _____ mg<br/>                         (dosage) IF HE/SHE HAS A PROLONGED EPILEPTIC SEIZURE LASTING OVER _____ MINUTES.                     </p> <p>OR</p> <p>                         SERIAL SEIZURES LASTING OVER _____ MINUTES AN AMBULANCE SHOULD BE CALLED FOR AT THE<br/>                         BEGINNING OF THE SEIZURE / AFTER _____ SEIZURES                     </p> <p>OR</p> <p>                         IF THE SEIZURE HAS NOT RESOLVED AFTER _____ MINUTES                     </p> <p>(please delete as appropriate)</p> |                                                                         |
| <b>DOCTOR'S SIGNATURE:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>DATE:</b>                                                            |
| <b>PARENT/CARER SIGNATURE:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | <b>DATE:</b>                                                            |

APPENDIX 12

MEDICAL FORM – 5

| HEADTEACHER AGREEMENT TO ADMINISTER MEDICATION                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>NAME OF SCHOOL:</b><br>Willow Tree Primary School                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <p>It is agreed that (name of child) _____</p> <p>will receive (name &amp; quantity of medication) _____</p> <p>daily at (time) _____</p> <p>_____ (name of child)</p> <p>will be given medication stated by a member of staff / supervised while he/she administers it him/herself/<br/>administers it him/herself (circle one)</p> <p style="text-align: center;"><b>THIS ARRANGEMENT WILL CONTINUE UNTIL THE COURSE OF THE MEDICATION ENDS OR WE ARE<br/>INSTRUCTED BY PARENTS</b></p> |
| <b>FIRST AIDER SIGNATURE:</b><br><br><b>DATE:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>HEADTEACHERS SIGNATURE:</b><br><br><b>DATE:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                        |

## APPENDIX 13

**MEDICAL FORM – 6**

|                    |  |
|--------------------|--|
| CHILD'S NAME       |  |
| CLASS              |  |
| NAME OF MEDICATION |  |

[illegible]

**APPENDIX 14****MEDICAL FORM – 7 (To be completed during induction)****Staff Emergency Contact Details**

|                                   |                                   |
|-----------------------------------|-----------------------------------|
| <b>Forename:</b>                  | <b>Surname:</b>                   |
| <b>Address:</b>                   |                                   |
| <b>Post Code:</b>                 |                                   |
| <b>Telephone:</b>                 | <b>D.O.B:</b>                     |
| <b><u>Car Details</u></b>         |                                   |
| <b>Car Reg:</b>                   | <b>Colour:</b>                    |
| <b>Make and Model:</b>            |                                   |
| <b><u>Emergency Contact 1</u></b> | <b><u>Emergency Contact 2</u></b> |
| <b>Name:</b>                      | <b>Name:</b>                      |
| <b>Relationship:</b>              | <b>Relationship:</b>              |
| <b>Telephone:</b>                 | <b>Telephone:</b>                 |

**Medical Information****Doctors Name and Address:****Condition/Allergies e.g. Penicillin:****Medication:****Are you under a consultant?****Name:****Hospital:****Safeguarding Information****DBS produced (Given the office):****ID produced (Given to the office):****Disclosure Form (To be signed and returned):****List of policies (To be read, signed and returned):****Acceptable User Policy (To be read, signed and returned):****Declaration of Pecuniary & Personal Interests (To be complete, signed and returned):****Placement Details****Date of commencement:****Length of placement:****Placement preferences/ Any course requirements:**

## MEDICAL FORM - 8

| REQUEST FOR A CHILD TO CARRY HIS/HER OWN MEDICATION                                                                                    |                      |
|----------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| THIS FORM MUST BE COMPLETED BY THE PARENT/CARER AFTER CONSULTATION WITH A HEALTH PROFESSIONAL, PUPIL, FIRST AIDER AND PARENTS.         |                      |
| NAME OF SCHOOL:<br>Willow Tree Primary School                                                                                          | CLASS:               |
| NAME OF CHILD:                                                                                                                         | DATE OF BIRTH:       |
| ADDRESS:                                                                                                                               |                      |
| NAME OF MEDICATION:                                                                                                                    | DOSAGE:              |
|                                                                                                                                        | TIME TO BE TAKEN:    |
| PROCEDURE TO BE TAKEN IN AN EMERGENCY:                                                                                                 |                      |
| NAME OF PARENT:                                                                                                                        | RELATIONSHIP:        |
| TELEPHONE NUMBERS<br>HOME:                                                                                                             | WORK:<br><br>MOBILE: |
| I AGREE AND GIVE PERMISSION FOR MY SON/DAUGHTER TO KEEP HIS/HER MEDICATION ON HIM/HER FOR USE AS NECESSARY<br><br>SIGNED:<br><br>DATE: |                      |

## MEDICAL FORM – 9

## Medicines administered on residentials

|                                                                                                                                                                            |                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| <b>Child's name</b>                                                                                                                                                        |                                                          |
| <b>DOB</b>                                                                                                                                                                 |                                                          |
| <b>Class</b>                                                                                                                                                               |                                                          |
| <b>Parent/ carer completing this form</b>                                                                                                                                  |                                                          |
| I give permission for a member of St. Ann's staff to administer the following medicines to my child, should the necessity arise whilst he/she is on a residential holiday. | Parent/carers signature:<br><br>Date:<br><br>Print name: |

Please answer yes or no to each item below or if you wish add an alternative.

**If you do not give your permission on this form we will not be able to administer these if your child needs them**

| TYPE OF MEDICINE                                           | YES | NO |
|------------------------------------------------------------|-----|----|
| Calpol                                                     |     |    |
| Paracetamol tablets                                        |     |    |
| Anthisan Cream (an antihistamine cream for bites & stings) |     |    |
| Piriton (allergy)                                          |     |    |
| Lip balm/Vaseline                                          |     |    |
| Tweezers (for splinters)                                   |     |    |
| Throat lozenges                                            |     |    |
| Cough medicine                                             |     |    |
| Travel sickness tablets                                    |     |    |
| Sun Cream                                                  |     |    |
| After Sun lotion                                           |     |    |
| Cotton wool                                                |     |    |
| Calamine lotion                                            |     |    |
| Plasters                                                   |     |    |
| Ice pack                                                   |     |    |
| Savlon                                                     |     |    |
| A suitable medicine for diarrhoea Kaolin/Dioralyte         |     |    |

## APPENDIX 17

### MEDICAL FORM – 10 Residential visit parental consent form and care plan

|                                                                |                                                         |
|----------------------------------------------------------------|---------------------------------------------------------|
| <b>Child's name</b>                                            |                                                         |
| <b>DOB</b>                                                     |                                                         |
| <b>Class</b>                                                   |                                                         |
| <b>Home address</b>                                            |                                                         |
| <b>Parent/ carer completing this form</b>                      |                                                         |
| <b>Primary emergency contact while child on school visit</b>   | Name:<br><br>Relationship to child:<br><br>Tele number: |
| <b>Secondary emergency contact while child on school visit</b> | Name:<br><br>Relationship to child:<br><br>Tele number: |
| <b>Third emergency contact while child on school visit</b>     | Name:<br><br>Relationship to child:<br><br>Tele number: |
| <b>Family doctor</b>                                           | Name:<br><br>Surgery:<br><br>Tele number:               |

| <b>Section A — Consent</b>                                                                     |                             |
|------------------------------------------------------------------------------------------------|-----------------------------|
| I give permission for my child named above to take part in the visit and associated activities | Yes / No<br>(please circle) |

| <b>Section B — Travel documents &amp; health cards (overseas trips only)</b> |          |
|------------------------------------------------------------------------------|----------|
| Passport valid                                                               | Yes / No |
| Visas required                                                               | Yes / No |
| EHIC/GHIC or other travel health card details                                |          |

| Section C — Medical & dietary information                                                                                                                                                       |                                                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| I agree to my child receiving routine first aid and any medication I have provided, administered as instructed.                                                                                 | Yes / No<br>(please circle)                                                                                                                       |
| In an emergency, I consent to my child receiving emergency medical, dental or surgical treatment (including anaesthetic or blood transfusion) as considered necessary by medical professionals. | Yes / No<br>(please circle)                                                                                                                       |
| Does your child have any medical conditions, allergies, or special health needs we should know about?                                                                                           | Yes / No<br>(please circle)<br>If yes, give brief details:                                                                                        |
| Does your child require medical treatment including medication for any medical conditions, allergies, or special health needs?                                                                  | Yes / No<br>(please circle)<br>If yes, give brief details including any medication, dosage and times, and whether your child can self-administer: |
| To the best of your knowledge, has your child been in contact with any contagious or infectious disease or suffered from anything in the last four weeks that may be contagious or infectious?  | Yes / No<br>(please circle)<br>If yes, give brief details:                                                                                        |
| Date of last tetanus injection (if known)                                                                                                                                                       |                                                                                                                                                   |
| Does your child have any dietary requirements or food allergies?                                                                                                                                | Yes / No<br>(please circle)<br>If yes, give brief details:                                                                                        |
| Is there any additional information we should know about your child's behaviour, SEN support, or other needs relevant to this visit?                                                            | Yes / No<br>(please circle)<br>If yes, give brief details:                                                                                        |

| Section D — Privacy and information-sharing                                                                                                                                                                                                                                                                                                        |                             |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| I understand that relevant medical and contact information about my child will be shared on a need-to-know basis with trip staff, medical personnel and external providers for the safe management of the visit. I understand the school will retain contact and medical information in line with its records-retention and safeguarding policies. | Yes / No<br>(please circle) |

| Section E — Confirmation                                                                                                                                                                                                         |                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| I confirm that the information I have given is, to the best of my knowledge, accurate. I will inform the Group Leader / school as soon as possible of any changes in my child's medical or other circumstances before the visit. | Parent/carers signature:<br><br>Date:<br><br>Print name: |

Thank you — please contact the school office if you have any questions about the visit.